

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/814090	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 20:15
S2	0	NADALIN-ANTHONY-J.in. "WESLEY-AJAMU-A.in"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 20:15
S3	15	NADALIN-ANTHONY-J.in. "WESLEY-AJAMU-A.in"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 20:15
S4	125500	IBM.as. (INTERNATIONAL adj BUSINESS adj MACHINES adj CORPORATION).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 20:15
S5	922	726/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 20:15
S6	59903	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 20:15
S7	7	S3 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 20:22
S8	21	("5634053" "5774551" "5864843" "5931900" "5943671" "5995945" "6222533" "6226745" "6304892" "6332130").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 20:50

S9	20	S8 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 20:50
S10	5	"20030135628"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:00
S11	2	"7134137".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:03
S12	2	"7130885".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:05
S13	749	(Portal\$4 near2 (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4)).ti. (Portal\$4 near2 (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:12
S14	3	(Portal\$4 near2 (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4)).ti. (Portal\$4 near2 (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4)).ab. (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:18

		\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl \$5) ((\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4)				
S15	3	S14 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:22
S16	16	("20010027484" "20040111519" "5634053" "5774551" "5864843" "5931900" "5943671" "5995945" "6212561" "6222533" "6226745" "6304892" "6332130" "7130885" "7131000" "7134137"). PN. OR ("7346923").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/26 21:26
S17	16	S16 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:27
S18	34	((Portal\$4 with (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4)).ti. or (Portal\$4 with (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4)).ab.) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:31

		\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl \$5) ((\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4)				
S19	34	((Portal\$4 with (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4)).ti. or (Portal\$4 with (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4)).ab.) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl \$5) ((\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4) (Rout\$4 or Span \$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:31

S20	21	S19 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:38
S21	7	((Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) with federat\$4 with Domain) (Portal\$4 with (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) ((\$4digital\$4 near \$4signatur\$4) or (\$4digital\$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag\$4 near\$2 \$4Digest\$4) or \$4hash\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:51
S22	9	((Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) with federat\$4 with Domain) (Portal\$4 with (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 21:59

		\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat \$4 or \$4Process\$4 or \$4machin\$4 or \$4computer \$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr\$4 or \$4privat \$3 or \$4shar\$3 or \$common \$4 or \$4public\$4 or random \$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl \$5) ((\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4) (XML adj Schema) or XSD or SOAP) (Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)				
S23	3	S22 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 22:01
S24	3	S21 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 22:02
S25	12	(US-20050114701-\$ or US- 20040205473-\$ or US- 20040015723-\$ or US- 20040128392-\$).did. or (US-7134137-\$ or US- 7130885-\$ or US-7269664- \$ or US-7346923-\$ or US- 5634053-\$ or US-5995945- \$ or US-6222533-\$ or US- 6931530-\$).did.	US-PGPUB; USPAT	AND	ON	2008/03/26 22:03
S26	12	S25 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 22:03

S27	3	<p>S26 ((Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) federat\$4 Domain) (Portal\$4 with (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat \$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer \$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr\$4 or \$4privat \$3 or \$4shar\$3 or \$common \$4 or \$4public\$4 or random \$4) with key\$2) (\$4crypt\$5 or \$4ciph\$5 or \$4scrambl \$5) ((\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4) (XML adj Schema) or XSD or SOAP) (Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)</p>	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 22:04
S28	30	<p>((Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) with federat\$4 with Domain) (Portal\$4 with (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat</p>	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 22:04

		\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat \$4 or \$4Process\$4 or \$4machin\$4 or \$4computer \$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr\$4 or \$4privat \$3 or \$4shar\$3 or \$common \$4 or \$4public\$4 or random \$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl \$5) ((\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near\$2 \$4Digest\$4) or \$4hash\$4) (XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)				
S29	3	S27 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 22:06
S30	30	((Rout\$4 or Span\$4 or Path \$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) with federat\$4 with Domain) (Portal\$4 with (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat \$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat \$4 or \$4Process\$4 or \$4machin\$4 or \$4computer \$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr\$4 or \$4privat \$3 or \$4shar\$3 or \$common	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 11:42

		\$4 or \$4public\$4 or random \$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) ((\$4digital\$4 near \$4signatur\$4) or (\$4digital\$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag\$4 near2 \$4Digest\$4) or \$4hash\$4) (XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)				
S31	12	S30 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 11:42
S32	125551	IBM.as. (INTERNATIONAL adj BUSINESS adj MACHINES adj CORPORATION).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 12:09
S33	9	S31 not S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 12:09
S34	97	((Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) same federat\$4 same Domain) (Portal\$4 same (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 12:15

		(((\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4) or (\$4digital\$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag\$4 near2 \$4Digest\$4) or \$4hash\$4) (XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)				
S35	1	((Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) same federat\$4 same Domain).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 12:19
S36	7	((Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) same federat\$4 same Domain).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 12:19
S37	0	S35 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 12:19
S38	0	S36 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 12:19
S39	37	S34 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 12:20
S40	29	S39 not S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 12:22

S41	1	(federat\$4 with Domain). ti. (federat\$4 with Domain).ab. ((Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) federat\$4 Domain) (Portal \$4 same (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4) (XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 13:57
S42	0	S41 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:00

S43	1	(federat\$4 Domain).ti. (federat\$4 Domain).ab. ((Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) federat\$4 Domain) (Portal\$4 same (web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4ciper\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4) or (\$4digital\$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag\$4 near2 \$4Digest\$4) or \$4hash\$4) (XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:00
S44	2	context\$4 sensitiv\$4 confidentiality security domain\$4 federated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/03/27 14:02
S45	90	context\$4 sensitiv\$4 confidentiality security domain\$4 federated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:04

S46	14	(context\$4 with sensitiv\$4) confidentiality security domain\$4 federated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:04
S47	4	S46 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:04
S48	25	("5252951" "5265014" "6012098" "6021403" "6327608" "6356933" "6418448" "6457066" "6557026" "6697849" "6772216").PN. OR ("6990513").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/27 14:28
S49	23	S48 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:28
S50	0	S45 S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:29
S51	2	context\$4 sensitiv\$4 domain\$4 federated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/03/27 14:29
S52	0	S51 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:30
S53	2	context\$4 sensitiv\$4 domain\$4 federated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/03/27 14:30

S54	10	(context\$4 with sensitiv\$4) (domain\$4 with federated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:31
S55	3	S54 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:31
S56	372	(context\$4 sensitiv\$4) (domain\$4 federated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:31
S57	59989	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 14:32
S58	60	S56 S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:32
S59	29	S58 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:33
S60	41	("20010051996" "20020012433" "20020040936" "20020059425" "20020067832" "20020124116" "20020129285" "20020131436" "20020144119" "20020184507" "20020199004" "20030005290" "20030014631" "20030028773" "20030065947" "20050022001" "5202921" "5706427" "5721781" "5742756" "5774668" "5774670"	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/27 14:40

		"5802519" "5841970" "5844218" "5930363" "5930804" "6041357" "6052690" "6092196" "6094656" "6212633" "6226744" "6233683" "6275941" "6286104" "6308317" "6373950" "6438550" "6510236" "6557032").PN. OR ("7085840").URPN.				
S61	82	("20010011250" "20010051996" "20010054155" "20020012433" "20020040936" "20020046353" "20020059425" "20020067832" "20020078102" "20020087857" "20020091932" "20020099936" "20020120864" "20020124116" "20020129285" "20020131436" "20020138728" "20020144119" "20020178366" "20020184507" "20020199004" "20030005280" "20030005290" "20030005308" "20030014631" "20030028773" "20030039361" "20030041240" "20030065947" "20040030887" "20040111621" "20040117490" "20050022001" "20050039008" "20050154887" "20050268241" "20060005234" "20060059546" "5202921" "5467398" "5701343" "5706427" "5721781" "5757920" "5758068" "5768504" "5774668" "5774670" "5784464" "5802519" "5841970" "5844218" "5862325" "5930363" "5930804" "5999971"	US-PGPUB; USPAT; USOCR	AND	ON	2008/03/27 14:42

		"6041357" "6047268" "6052690" "6088451" "6092196" "6094656" "6148404" "6212633" "6212640" "6226744" "6233341" "6233683" "6275941" "6286104" "6308317" "6373950" "6421768" "6438550" "6453353" "6460140" "6484260" "6490624" "6496931" "6510236" "6557032" "6970904"). PN. OR ("7275260").URPN.				
S62	118483	"380".clas. "726".clas. "713".clas. "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 14:43
S63	132	S56 S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:44
S64	5	(domain\$4 federated).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:44
S65	0	S64 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:44
S66	62	(domain\$4 federated).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:44
S67	23	S62 S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:44

S68	12	S67 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:45
S69	4	09/827697	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 14:52
S70	30	(US-20050172300-\$ or US-20040003287-\$ or US-20020103811-\$ or US-20020059425-\$ or US-20030126136-\$ or US-20050044197-\$ or US-20050071667-\$ or US-20040015723-\$ or US-20040128392-\$ or US-20040205473-\$ or US-20050114701-\$ or US-20030046391-\$ or US-20060075473-\$ or US-20040128542-\$ or US-20040128383-\$).did. or (US-7155706-\$ or US-7137006-\$ or US-6990513-\$ or US-7085840-\$ or US-7275260-\$ or US-5634053-\$ or US-5995945-\$ or US-6222533-\$ or US-6931530-\$ or US-7130885-\$ or US-7134137-\$ or US-7269664-\$ or US-7346923-\$ or US-6959336-\$ or US-7194547-\$).did.	US-PGPUB; USPAT	AND	ON	2008/03/27 15:27
S71	28	S70 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 15:27
S72	2	context\$4 domain\$4 federated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/03/27 16:18
S73	22	context\$4 domain\$4 federated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/03/27 16:19

S74	13	S73 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:19
S75	0	S72 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:19
S76	420	(federat\$4 with (Authenticat \$6 or Identity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:23
S77	41	(federat\$4 with (Authenticat \$6 or Identity)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:24
S78	84	(federat\$4 with (Authenticat \$6 or Identity)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:24
S79	27	S77 S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:24
S80	7	S79 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:24
S81	98	S77 S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 16:26
S82	18	S66 S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:26

S83	8	S82 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:26
S84	147	S76 S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:27
S85	55	S84 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:27
S86	38	(US-20050172300-\$ or US-20040003287-\$ or US-20020103811-\$ or US-20020059425-\$ or US-20030126136-\$ or US-20050044197-\$ or US-20050071667-\$ or US-20040015723-\$ or US-20040128392-\$ or US-20040205473-\$ or US-20050114701-\$ or US-20030046391-\$ or US-20060075473-\$ or US-20040128542-\$ or US-20040128383-\$ or US-20050149496-\$ or US-20070208936-\$ or US-20040230831-\$ or US-20030163733-\$ or US-20030140230-\$ or US-20030084302-\$ or US-20030084172-\$).did. or (US-7155706-\$ or US-7137006-\$ or US-6990513-\$ or US-7085840-\$ or US-7275260-\$ or US-5634053-\$ or US-5995945-\$ or US-6222533-\$ or US-6931530-\$ or US-7130885-\$ or US-7134137-\$ or US-7269664-\$ or US-7346923-\$ or US-6959336-\$ or US-7194547-\$ or US-6947925-\$).did. or (US-20030163733-A-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 16:37

S87	36	S86 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:38
S88	125551	IBM.as. (INTERNATIONAL adj BUSINESS adj MACHINES adj CORPORATION).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 16:38
S89	29	S87 not S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:38
S90	7	S87 not S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 16:39
S91	20	(US-20030163733-\$ or US- 20020059425-\$ or US- 20030084302-\$ or US- 20020103811-\$ or US- 20040205473-\$ or US- 20050044197-\$ or US- 20030046391-\$ or US- 20050149496-\$ or US- 20030126136-\$ or US- 20040015723-\$ or US- 20070208936-\$ or US- 20050172300-\$ or US- 20040230831-\$ or US- 20040003287-\$).did. or (US-7130885-\$ or US- 7137006-\$ or US-7269664- \$ or US-7134137-\$ or US- 5634053-\$ or US-5995945- \$).did.	US-PGPUB; USPAT	AND	ON	2008/03/27 16:42

S92	13	S91 (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (federat\$4 or Domain) (Portal\$4 or web \$4 or platform\$4 or system \$4 or server\$4 or distribut \$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4) ((XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 17:00
S93	7	S91 not S92	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 18:41

S94	20	(US-20030163733-\$ or US-20020059425-\$ or US-20030084302-\$ or US-20020103811-\$ or US-20040205473-\$ or US-20050044197-\$ or US-20030046391-\$ or US-20050149496-\$ or US-20030126136-\$ or US-20040015723-\$ or US-20070208936-\$ or US-20050172300-\$ or US-20040230831-\$ or US-20040003287-\$).did. or (US-7130885-\$ or US-7137006-\$ or US-7269664-\$ or US-7134137-\$ or US-5634053-\$ or US-5995945-\$).did.	US-PGPUB; USPAT	AND	ON	2008/03/27 20:36
S95	13	S94 (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (federat\$4 or Domain) (Portal\$4 or web \$4 or platform\$4 or system \$4 or server\$4 or distribut \$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4) ((XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 20:36

		or Authorizations or Policy or (Quality adj of adj Protection) or QoP)				
S96	2	"7130885".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/27 20:41
S97	20	(US-20030163733-\$ or US- 20020059425-\$ or US- 20030084302-\$ or US- 20020103811-\$ or US- 20040205473-\$ or US- 20050044197-\$ or US- 20030046391-\$ or US- 20050149496-\$ or US- 20030126136-\$ or US- 20040015723-\$ or US- 20070208936-\$ or US- 20050172300-\$ or US- 20040230831-\$ or US- 20040003287-\$).did. or (US-7130885-\$ or US- 7137006-\$ or US-7269664- \$ or US-7134137-\$ or US- 5634053-\$ or US-5995945- \$).did.	US-PGPUB; USPAT	AND	ON	2008/06/25 15:21
S98	13	S97 (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (federat\$4 or Domain) (Portal\$4 or web \$4 or platform\$4 or system \$4 or server\$4 or distribut \$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/25 15:21

		or (\$4digital\$4 near \$4signatur\$4) or (\$4digital\$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag\$4 near2 \$4Digest\$4) or \$4hash\$4) ((XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)				
S99	2	access security sensitive portions message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/06/25 20:34
S100	7	security sensitive portions message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/06/25 20:35
S101	3	S100 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/25 20:35
S102	397	Content request message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/06/25 20:41
S103	51	web services routing protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/06/26 16:38
S104	24	S103 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 16:39
S105	3	(web adj2 services adj routing adj protocol) ((Portion or Section or Fragment or Part) adj2 (Content or Message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 16:41

S106	2	S105 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 16:42
S107	13	(web with services with routing with protocol) ((Portion or Section or Fragment or Part) adj2 (Content or Message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 16:58
S108	7	S107 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 16:58
S109	24	(web with services with routing with protocol) ((Portion or Section or Fragment or Part) with (Content or Message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 17:19
S110	14	S109 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 17:19
S111	21	(US-20040015723-\$ or US- 20050149496-\$ or US- 20050044197-\$ or US- 20040230831-\$ or US- 20040205473-\$ or US- 20040003287-\$ or US- 20030163733-\$ or US- 20030084302-\$ or US- 20030046391-\$ or US- 20020103811-\$ or US- 20020059425-\$ or US- 20060090007-\$ or US- 20030074357-\$).did. or (US-5995945-\$ or US- 7269664-\$ or US-7137006- \$ or US-7134137-\$ or US- 7130885-\$ or US-6823068- \$ or US-7076558-\$ or US- 7359945-\$).did.	US-PGPUB; USPAT	AND	ON	2008/06/26 17:31
S112	21	S111 @AD<"20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 17:31

S113	128422	IBM.as. (INTERNATIONAL adj BUSINESS adj MACHINES adj CORPORATION).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 17:31
S114	15	NADALIN-ANTHONY-J.in. "WESLEY-AJAMU-A.in"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 17:31
S115	128426	S113 S114	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 17:33
S116	0	S112 S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 17:34
S117	4629	((Portion or Section or Fragment or Part) with (Content or Message)) (Rout\$4 or Span\$4 or Path \$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (federat\$4 or Domain) (Portal\$4 or web \$4 or platform\$4 or system \$4 or server\$4 or distribut \$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 17:42

		or (\$4digital\$4 near \$4signatur\$4) or (\$4digital\$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag\$4 near2 \$4Digest\$4) or \$4hash\$4) ((XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)				
S118	18	(((Portion or Section or Fragment or Part) with (Content or Message)) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (federat\$4 or Domain) (Portal\$4 or web\$4 or platform\$4 or system\$4 or server\$4 or distribut\$4 or federat\$4 or page\$4 or framework\$4 or workflow\$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4) or (\$4digital\$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag\$4 near2 \$4Digest\$4) or \$4hash\$4) ((XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 17:43

S119	0	(((Portion or Section or Fragment or Part) with (Content or Message)) (Rout\$4 or Span\$4 or Path \$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (federat\$4 or Domain) (Portal\$4 or web \$4 or platform\$4 or system \$4 or server\$4 or distribut \$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4) ((XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP) Intermediar\$4 Policy\$4 Securit\$4 sensitiv\$4 Context \$4 Right\$4 Privileg\$4 Entitled\$4 Authentication\$4 authorit\$4 provider\$4 reques\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 18:00
------	---	---	---	-----	----	---------------------

S120	111	(((Portion or Section or Fragment or Part) with (Content or Message)) (Rout\$4 or Span\$4 or Path \$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (federat\$4 or Domain) (Portal\$4 or web \$4 or platform\$4 or system \$4 or server\$4 or distribut \$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4) ((XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP) Intermediar\$4 Policy\$4 Securit\$4 sensitiv\$4 Context \$4 Right\$4 Privileg\$4 Entitled\$4 Authentication\$4 authorit\$4 provider\$4 reques\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 18:00
S121	18228	713/185.ccls. 380/28.ccls. 709/223.ccls. 709/206.ccls. 709/225.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 18:18

S122	220	(((Portion or Section or Fragment or Part) with (Content or Message)) (Rout\$4 or Span\$4 or Path \$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (federat\$4 or Domain) (Portal\$4 or web \$4 or platform\$4 or system \$4 or server\$4 or distribut \$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4) ((XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP) Intermediar\$4 Policy\$4 Securit\$4 sensitiv\$4 Context \$4 (Right\$4 or Privileg\$4 or Entitled\$4) Authentication \$4 authorit\$4 provider\$4 reques\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 18:19
S123	35	S122 S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 18:23

S124	20	S123 @AD< "20040331"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 18:24
S125	62787	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 18:37
S126	0	(((Portion or Section or Fragment or Part) with (Content or Message)) (Rout\$4 or Span\$4 or Path \$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (federat\$4 or Domain) (Portal\$4 or web \$4 or platform\$4 or system \$4 or server\$4 or distribut \$4 or federat\$4 or page\$4 or framework\$4 or workflow \$4) (Rout\$4 or Span\$4 or Path\$4 or (Next adj hop\$1) or URL or XLink or (XML adj Linking) or Travers\$4 or trace\$4) (\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or \$4Apparat\$4 or \$4Process\$4 or \$4machin \$4 or \$4computer\$4 or \$4hardware\$4 or phon\$3 or module\$4) ((\$4symmetr \$4 or \$4privat\$3 or \$4shar \$3 or \$common\$4 or \$4public\$4 or random\$4) with key\$2) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5 or (\$4digital\$4 near \$4signatur\$4) or (\$4digital \$4 near \$4Certific\$8) or MD5 or SHA1 or (\$4Messag \$4 near2 \$4Digest\$4) or \$4hash\$4) ((XML adj Schema) or XSD or SOAP or Confidentiality or Integrity or Authentication or Authorizations or Policy or (Quality adj of adj Protection) or QoP) Intermediar\$4 Policy\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/26 18:38

Securit\$4 sensitiv\$4 Context \$4 (Right\$4 or Privileg\$4 or Entitled\$4) Authentication \$4 authorit\$4 provider\$4 reques\$4).clm.

6/26/2008 8:55:41 PM

C:\Documents and Settings\tgergiso\My Documents\EAST\Workspaces\10814090\10814090.
wsp